

DELIVERY LIST		
Part No.	Description	Qty
	Talking Flowers	2
3730-071	PVC hose (10m)	1
	Fixings Pack	1

TODDLERS	
TALKING FLOWERS	
PROD CODE:	6070-054(454)
SIZE:	1500mm
AGE RANGE:	3-8yrs
WEIGHT OF HEAVI-EST PART	
OVERALL WEIGHT OF UNIT	

SPECIFICATION

The Stem is made from 40 NBT m/s to BS 1387 and all metals will be protected with low lead powder paint (within the meaning of the Toy and Safety Regulations 1367 of 1974 and Pencil and Graphics Regulations. Flower heads will be constructed from 12 mm Lamina. Fasteners will be M8 Anti Vandal Pentagon Button Head Screws and will be plated for weather protection.

INSTALLATION INSTRUCTIONS

- 1 Read installation instructions through before commencing erection of unit.
- 2 Do NOT tighten fastenings until the unit is completely assembled
- 3 Excavate foundations in accordance with foundation plans.
- 4 Place Stem into prepared foundation, set on a standard house-hold brick that is frog side down set to dimensions as shown.
- 5 Ensure plumb, square and is at the correct height .
- 6 Backfill foundations with concrete up to the spigot.
- 7 Allow to dry for 48 hours before commencing.
- 8 Attach the pipe to the each of the talking flower spigot s and backfill foundations (soil) to correct finished surfacing height.


Note: M8 bolts to be torqued to 18Nm (13lbf.)
M10 bolts to be torqued to 34Nm (25lbf)
M12 bolts to be torqued to 55Nm (40lbf)
All protruding screw threads to be peened over to remove sharp edges.
Lifting aid will be required when installing this piece of equipment.

Note:-Ensure all installation aids are removed before first use.




SURFACING & FREE SPACE DETAIL

***No Safety Surfacing is needed but note where adjacent equipment has been placed!!**



FIXING DETAILS FOR MAINTENANCE



REF	QTY	DESCRIPTION	PART No
A	2	Stem Assy	4200-485
B	2	Mesh Plate	3200-319
C	2	Flower Head	3730-070
D	6	M8 x 25 Pent Button Head	2176-152
E	6	M8 Short Safety Fastener	2177-004
F	1	PVC Reinforced Hose 10M	3730-071
G	2	Jubilee Clip 25mm – 30mm	2710-060
For Bark Fix : change Stem Assembly 4200-485 to 4200-489			

Note:-All spare parts are available from Wicksteed Leisure on request.

For maintenance instructions see separate sheet.

	COMPILED:	APPROVED :	REV	NEW	1	2		
	SCJ		ECN	1389	minor	Minor		
	DATE:	DATE:	SIG.	SCJ	PG	DB		
	26/09/01		DATE.	26/09/01	9/3/06	29/08/12		

DESPATCH LIST

Product: Toddler - Talking Flowers Code No. 6070-054 Date of Issue: 26/09/01

Order No: _____ Issue: B

Item	Unit Qty	Description	Part No.	Checked
1	2	Stem Assembly *	4200-485	
2	2	Mesh Plate *	3200-319	
3	2	Flower Head *	3730-070	
		Items marked * to be fitted prior to despatch		

Total No. of Items

Picked By: _____ Checked By: _____

COMPILED	REV	New	1				
BY: SCJ	ECN No.	1389	Minor				
DATE: 26.09.01	DATE	26/09/01	03/09/06				
	SIGN	SCJ	PG				

FIXINGS LIST

Sheet 1 of 1

Product: Toddler - Talking Flowers Code No. 6070-054 Date of Issue: 26/09/01

Order No: _____ Issue: B

Item	Unit Qty	Description	Part No.	Checked
1	1	PVC Reinforced Hose (10 m)	3730-071	
2	6	M8x25 Pent Button Head Screw *	2176-152	
3	6	M8 Short Safety Fastener	2177-004	
4	2	Jubilee Clip - 25mm - 30mm	2710-060	
		Items marked * to be fitted prior to despatch		

Total No. of Items

Picked By: _____ Checked By: _____

COMPILED BY: SCJ	REV	New	1	2		
	ECN No.	1389	Minor	Minor		
DATE: 26.09.01	DATE	26/09/01	03/09/06	29/08/12		
	SIGN	SCJ	PG	DB		



DESPATCH LIST

Product : Toddler- Talking Flowers

BARK FIX

26/09/01

Code No:

6070-454

Issue: **B**

Item	Unit Qty.	Description	Part No.
1*	2	Stem Assembly	4200-489
2*	2	Mesh Plate	3200-319
3*	2	Flower Head	3730-070
		* FITTED BEFORE DESPATCH	

TOTAL No. OF ITEMS

PICKED BY.....

CHECKED BY.....

COMPILED BY: SCJ	REV:	NEW	1						
	ECN No.:	1389	minor						
DATE: 26/09/01	DATE:	26/09/01	03/09/06						
	SIGN:	SCJ	PG						



FIXINGS LIST

Product : Toddlers - Talking Flowers

BARK FIX

26/09/01

Code No:

6070-454

Issue: B

Item	Unit Qty.	Description	Part No.
1	1	PVC Reinforced hose (10 m)	3730-071
2*	6	M8x25 Pent Button Head Screw	2176-152
3	2	Jubilee Clip - 25mm - 30mm	2710-060
4	6	M8 Short Safety Fastener	2177-004
		* FITTED BEFORE DESPATCH	

TOTAL No. OF ITEMS

PICKED BY.....

CHECKED BY.....

COMPILED BY: SCJ	REV:	New	1	2					
	DATE:	26/09/01	03/09/06	29/08/2012					
SIGN:	SCJ	PG	DB						